Conclid

wherein the specific binding pair member is immobilized on a porous polymer, beads or on microstructures fabricated in the microchannel, and wherein the spatially separated defined regions each contain a specific binding pair member that is complementary to the analyte.

- 3. (Amended) The microfluidic device of claim 1 wherein the separated defined regions are porous polymer with <u>a</u> specific binding pair member bound to the porous polymer.
- 4. (Amended) The microfluidic device of claim 1 wherein the separated defined regions have beads with <u>a</u> specific binding pair member bound to the beads.
- 5. (Amended) The microfluidic device of claim 1 wherein the defined regions [are] with immobilized binding pair members are formed by introducing hydrogels in the microchannels.
- 7. (Amended) The [defined region] microfluidic device of claim 5 wherein the hydrogels in the microchannels are patterned [by means including photolithography].
- 8. (Amended) The microfluidic device of claim 1 wherein the separated defined regions have microstructures fabricated into the microchannel and the microstructures have a specific binding pair member bound thereto.



9. (Amended) The microfluidic device of claim 1 wherein the binding pair members are selected from [a] the group consisting of DNA, RNA, polypeptides, nucleic acids, [and antibody/antigens] antibodies and antigens.

O3 concld

10. (Amended) The microfluidic device of claim 1 wherein the specific binding pair member is a DNA or RNA probe.

11. (Amended) The microfluidic device of claim 1 wherein the specific binding pair

member is DNA.

13. (Amended) The microfluidic device of claim 12 wherein the fluid propelling component [in claim 12] is a pressurized gas, vacuum, electrical field, magnetic field or centrifugal force.

14. (Amended) The microfluidic device of claim 1, <u>further</u> comprising a detector component that is operatively associated with the microchannels.

Please add new Claim 21:



New Claim 21. The microfluidic device of claim 7 wherein photolithography is used to pattern the hydrogels.